Name \_\_\_\_\_

## Closed book section

1) For each of the following assignment statements state whether or not it is correct. If correct, specify what value it would produce. If it is incorrect, just state "error". Assume a = 2, b = 90, c = -1,  $ma = [1\ 2;\ 2\ 3;\ 3\ 4]$  and mb = 1:4:10.

- A) mb + [1, 2]
- B) ma > 2
- C) [a, [b, c]] == 90
- D) a([a] + 1) = 5
- E) mb == mb 1
- \_\_\_\_\_
- F) b 23 = c + 10
- G) a([2:3:6]) = 4
- \_\_\_\_
- H) [a, b, c] \* [b, c, a]

2) Assume that the following statements have been executed:

- >> x = 'hello';
- >> y = 'there';
- >> z = [x, y];

State the output that is produced by each of the following.

	B: length(z)
	C: strrep(z,'ot',")
	D: $z(z=='e')$
	E: z([1:3, 7:9])
	Trite a one-line statement in Matlab to perform the following. Sompute $\theta$ in degrees for which $\sin(\theta) = 0.15$
—— В) ст	eate a vector of length 100 all of whose entries are 5.
—— C) te	st if a vector A has at least one non-zero entry.
	st if a vector A has at least one non-zero entry.  etermine if the first and the second rows of a matrix A are identical.
D) d	

```
>> v=1:3
>> u = [v; v.^2; 1+v]
>> sum(u(1,:).*u(3,:))
>> u([3,1],1)'
5) Name the function to perform each of the following operations:
   (a) to make the scale on the x and y-axis equal.
   (b) to copy an image 'image1.jpg' to an array A.
   (c) to find the inverse of a matrix B.
   (d) to get the integer part of a real number.
   (e) to concatenate two strings s1 and s2.
```

6) Explain the following terms:		
(a) What is numerical indexing? Give an example.		
(b) What is logical indexing? Give an example.		
(c) What is call by value?		
(d) State the difference between a cell array and an ordinary array. Give an example where cell array is needed.		
example where cen array is needed.		

Open book section. Create a separate file containing the function or script for problem, create a zip file containing your solutions and name it <last\_name>.zip and submit to through your moodle account.

1) Start with a positive integer n, and generate successive numbers by computing the sum of squares of the previous number. For example, starting with 34, we get  $3^2 + 4^2 = 25$ , next we get  $2^2 + 5^2 = 29$ , then  $2^2 + 9^2 = 25 = 85$  etc. Eventually the sequence repeats: 25, 29, 85, 89, 145, 42, 20, 4, 16, 37, 58, 89

You are to write a function square\_seq that takes as input the starting number (25 in the above example) and produce as output a vector that contains all the numbers generated by the above procedure and stop with the first repeating number.

## Another example:

```
>> square_seq(15)
ans =
    15    26    40    16    37    58    89    145    42    20
4    16
```

2) Write a script *draw* that draws the following geometric figures using plot function: the circle of radius 2 with center (3,4), the line L through (0,0) and (3,4) and the tangent to the circle at the point of intersection of the circle and line L. (Note that there are two points of intersection; choose the point closer to origin.)

Hint: you can find the intersection point by solving a quadratic equation. Use Matlab to solve the equation.

3) A *Latin square* of order k is a k by k matrix in which the numbers from 1 to k occurs exactly once in each row and exactly once in each column. Further, all the numbers from 1 to k occur exactly once along both diagonals. Write a function (named *latin*) in Matlab that tests if a given matrix is a *Latin square*.

1

4) Write a function *move* in Matlab that takes as input two vectors v and u, where v is a vector of n integers and u is a permutation of 1:n, and return a vector by moving the elements of v according to the permutation. Specifically, v(1) should move to position u(2) should move to position u(2) etc.